# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,218	03/24/2004	Kazuya Ueda	1324.70174	3929
Patrick G. Bur	7590 08/01/2007 Patrick G. Burns, Esq.			INER
GREER, BURNS & CRAIN, LTD.			CHEN, WEN YING PATTY	
Suite 2500 300 South Wa	cker Drive		ART UNIT	PAPER NUMBER
	Chicago, IL 60606		2871	
			·	
		·	MAIL DATE	DELIVERY MODE
			08/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/808,218	UEDA ET AL.				
Office Action Summary	Examiner	Art Unit	Ţ			
	W. Patty Chen	2871	·			
The MAILING DATE of this communication app Period for Reply	ears on the cover si	neet with the correspondence a	ddress			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period v  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COM 36(a). In no event, however vill apply and will expire SIX , cause the application to be	MUNICATION.  The may a reply be timely filed  (6) MONTHS from the mailing date of this come ABANDONED (35 U.S.C. § 133).	-			
Status						
1) Responsive to communication(s) filed on 12 M	<u>arch 2007</u> .					
,—	, , , , , , , , , , , , , , , , , , ,					
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	x parte Quayle, 19	35 C.D. 11, 453 O.G. 213.				
Disposition of Claims						
4) ☐ Claim(s) 1-10 and 12-15 is/are pending in the a 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) 6 is/are allowed. 6) ☐ Claim(s) 1-5,7-10 and 12-15 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from considerati					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct	epted or b) object drawing(s) be held in tion is required if the c	abeyance. See 37 CFR 1.85(a). rawing(s) is objected to. See 37 C				
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the a	tached Office Action or form P	TO-152.			
Priority under 35 U.S.C. § 119	•					
12) △ Acknowledgment is made of a claim for foreign  a) △ All b) ☐ Some * c) ☐ None of:  1. △ Certified copies of the priority document  2. ☐ Certified copies of the priority document  3. ☐ Copies of the certified copies of the priority document  application from the International Bureau  * See the attached detailed Office action for a list	s have been receive s have been receive rity documents have u (PCT Rule 17.2(a	ed. ed in Application No e been received in this Nationa l).	ıl Stage			
Attachment(s)	•					
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date</li> </ol>	5) <u> </u>	erview Summary (PTO-413) per No(s)/Mail Date tice of Informal Patent Application her:				

Art Unit: 2871

#### **DETAILED ACTION**

## Response to Amendment

The Amendment filed on Mar. 12, 2007 has been entered. Claim 11 is cancelled per the Amendment filed, therefore, claims 1-10 and 12-15 remain pending in the current application.

#### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later

Art Unit: 2871

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1, 7-10 and 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aoki et al. (US 5644415) in view of Yoshida et al. (US 5936693) further in view of Takeda et al. (US 2003/0058374).

With respect to claim 1 (Amended): Aoki et al. disclose in Figure 10 a liquid crystal display comprising:

a pair of substrates (elements 1, 2) provided opposite to each other with one of the substrates having a pixel electrode (element 3) and the other of the substrates having a common electrode (element 4);

a liquid crystal (element 9) sealed between a pair of substrates; and

a pixel region including at least one low effective voltage area (region corresponding to element 10) in which an effective voltage applied by the pixel and the common electrodes to the liquid crystal is lower than a voltage applied between the pixel and the common electrodes at another area, the at least one low effective area occupying part of the region in a predetermined area ratio (Column 7, lines 3-9), the pixel region having a threshold voltage that is different between the at least one low effective voltage area and said another area, and

the pixel region also including a color filter layer (element CF) having one color formed on at least one of the pair of substrates that includes a blue color filter (as shown).

Aoki et al. fail to disclose that the effective voltage in the pixel region is different from that in another pixel region including a color filter layer having another color such that the effective voltage in the low effective voltage areas associated with the blue color filter is lower

Art Unit: 2871

than the effective voltage in the low effective voltage areas associated with color filters of colors other than blue and that the low effective area has an effective voltage decreasing slit, formed on at least one of the electrodes.

However, Yoshida et al. teach in Figure 29 and Column 18 lines 8-26 of forming effective voltage in the pixel region including one color filter layer of one color different from that in another pixel region including a color filter layer having another color such that the effective voltage in the low effective voltage areas associated with the blue color filter is lower than the effective voltage in the low effective voltage areas associated with color filters of colors other than blue (wherein the low effective area of the blue color filter is larger than the red and the green color filters) and Takeda et al. disclose in figure 4 a low effective area (region corresponding to element 22) having an effective voltage decreasing slit (element 21), formed on at least one of the electrodes.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to construct a liquid crystal display device as taught by Aoki et al. wherein the effective voltage of one pixel region of one color is different from that of another pixel region of another color as taught by Yoshida et al., since Yoshida et al. teach that such configuration between the different colored pixel regions helps to obtain images having a good color balance with compensation made for the differences in brightness among the different colored pixels (Column 18, lines 20-26) and to form in the low effective area with an effective voltage decreasing slit on at least one of the electrodes as taught by Takeda et al., since Takeda et al. teach that such structure helps to improve the moving image display properties (Paragraphs 0107-0112).

As to claim 7: Aoki et al. further disclose in Column 17 line 59 through Column 18 line 6 that the threshold voltage of the low effective voltage area is higher than the threshold voltage of the other area by a predetermined voltage difference; and the voltage difference is in the range from 0.1V to 2.0V.

As to claim 8: Yoshida et al. further teach in Column 18 lines 8-12 of forming different area ratios with respect to the center transmission wavelength  $\lambda$  of the color filter layer that the pixel region has.

As to claim 9: Aoki et al. further disclose in Figure 10 that the low effective voltage area has a dielectric layer (element 10) formed with a predetermined thickness on at least one of the electrodes.

As to claim 10: Aoki et al. further disclose in Figure 10 that the dielectric layer (element 10) is formed like stripes (Column 9, lines 53-61) having a predetermined layer width and gap width.

As to claim 12 (Amended): Takeda et al. further disclose in Figure 4 that the effective voltage decreasing slit (element 21) is formed like stripes having a predetermined electrode width and gap width.

As to claim 13: Aoki et al. further disclose in Figure 10 that the low effective voltage area is provided in the vicinity of an end of the pixel region (as shown in Figure 10, wherein one of the low effective voltage area is at the edge of the pixel region).

As to claim 14: Aoki et al. further disclose that the liquid crystal is a nematic liquid crystal (Column 1, line 36) having a negative dielectric constant anisotropy (Column 2, lines 43-

Art Unit: 2871

47 and 51-55) whose initial alignment is vertical to a surface of the substrates (Column 1, line 42).

Claims 2-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aoki et al. (US 5644415), Yoshida et al. (US 5936693) and Takeda et al. (US 2003/0058374) in view of Nishida et al. (US 2002/0030780).

With respect to claims 2-4: Aoki et al., Yoshida et al. and Takeda et al. disclose all of the limitations set forth in claim 1, but failed to disclose the retardation values of the liquid crystal layer thickness with respect to different wavelength satisfying the equations set forth in claims 2-4.

However, Nishida et al. disclose a liquid crystal display wherein the  $\Delta n$  of the liquid crystal layer regardless the wavelength value is set to be constant (Paragraph 0186, wherein  $\Delta n$  is 0.0067) and that  $d_i/\lambda_i=d_j/\lambda_j$  (Paragraph 0072) regardless of having tilt angle and white is displayed when no polarizer is provided (Paragraphs 0072-0082), therefore, the condition set forth in claims 2 and 4 are met. Nishida et al. further disclose that the wavelength closest to 545 nm (Paragraph 0082, wherein the wavelength is 550nm) has a thickness value of 4.5 $\mu$ m, therefore,

$$\Delta n*(4.5\mu m) = 301.5nm,$$

which satisfies the condition set forth in claim 3.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to construct a liquid crystal display device as taught by Aoki et al., Yoshida et al. and Takeda et al. wherein the retardation values of the liquid crystal layer thickness with

Art Unit: 2871

respect to different wavelength are set as taught by Nishida et al., since Nishida et al. teach that such display characteristic prevents the display from coloring from whichever direction the display apparatus is viewed and that gradation reversal over a larger visibility angle range is also prevented (Paragraphs 0059-0061).

As to claim 5: Aoki et al., Yoshida et al. and Takeda et al. disclose all of the limitations set forth in claim 1, but failed to disclose the retardation values of the constant liquid crystal layer thickness with respect to different wavelength is between 250nm and 450nm.

However, Nishida et al. disclose a liquid crystal display wherein the  $\Delta n$  of the liquid crystal layer regardless the wavelength value is set to be constant (Paragraph 0186, wherein  $\Delta n$  is 0.0067) and that the thickness of the liquid crystal layer is set to be 4.5  $\mu$ m (Paragraph 0186), thus have a  $\Delta n(\lambda k)*d=301.5$ nm, which is within 250nm and 450nm.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to construct a liquid crystal display device as taught by Aoki et al., Yoshida et al. and Takeda et al. wherein the retardation values of the constant liquid crystal layer thickness with respect to different wavelength is between 250nm and 450nm as taught by Nishida et al., since Nishida et al. teach that such display characteristic optimizes the brightness of a white display and the color reproduction property (Paragraph 0186).

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Aoki et al. (US 5644415), Yoshida et al. (US 5936693) and Takeda et al. (US 2003/0058374) in view of Kubo et al. (US 2002/0075436).

Art Unit: 2871

Aoki et al., Yoshida et al. and Takeda et al. disclose all of the limitations set forth in claim 14, but failed to disclose that the liquid crystal display further comprising an alignment regulating structure for regulating the alignment of the liquid crystal provided on at least one of the substrates, wherein the pixel region has a plurality of alignment regions in which the liquid crystal is aligned in different directions.

However, Kubo et al. disclose in Figure 29A a liquid crystal display comprising of alignment regulating structures (element 22b) on at least one of the substrates.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to construct a liquid crystal display as taught by Aoki et al., Yoshida et al. and Takeda et al. wherein the liquid crystal display further comprises alignment regulating structures as taught by Kubo et al., since Kubo et al. teach that the alignment structures helps to stabilize the radially-inclined orientation regardless of the applied voltage, thus results in a desirable stress resistance (Paragraph 0285).

#### Allowable Subject Matter

Claim 6 is allowed.

The following is a statement of reasons for the indication of allowable subject matter:

Although the closest prior art, Yoshida et al., disclose in Figure 11, Table 1, Column 8 lines 35-45 and Column 10 lines 24-26 that the area ratio of the low effective voltage area to total area of each pixel region is tested in the range from 0.3 to 0.7, but preferably set in the range of 0.3 to 0.5. Therefore, Yoshida et al. either alone or in combination failed to teach or

Art Unit: 2871

suggest that the area ratio of the low effective voltage area to total area of each pixel region is in the range from 0.6 to 0.8.

## Response to Arguments

Applicant's arguments, filed on Mar. 12, 2007, with respect to claim 6 have been fully considered and are persuasive. The rejection of claim 6 has been withdrawn.

Applicant's arguments with respect to claims 1-5 and 7-15 have been considered but are most in view of the new ground(s) of rejection.

### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2871

Page 10

Any inquiry concerning this communication or earlier communications from the examiner should be directed to W. Patty Chen whose telephone number is (571)272-8444. The examiner can normally be reached on 8:00-5:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David C. Nelms can be reached on (571)272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

W. Patty Chen Examiner Art Unit 2871

WPC 7/18/07

> ALLIA COMECHTER ANDREN SCHECHTER DENARY EXAMINER